

Examining the Efficacy of Psychosocial Support in Cancer Management: A Systematic Review of Interventions in Nigeria

Awoniyi Adeola Roseline¹

adeola.awoniyi@swift.nhs.uk,

South Warwickshire University NHS Foundation.

FOGBONJAIYE, Seun Samuel (Ph.D)²

Department of Economics, Southwestern University Nigeria, Ogun State.

4gbonjayeseun@gmail.com

CAPCDR 7th CONFERENCE 2023

Abstract:

Cancer is a deadly illness and pervasive health challenge, not only affects the physical well-being of individuals but also significantly impacts their psychosocial health. In Nigeria, where the burden of cancer is steadily rising with an estimated mortality of 71,000 annually, there is a growing recognition of the need for comprehensive care that extends beyond medical treatments. This systematic review aims to evaluate the efficacy of psychosocial support interventions in the management of cancer in Nigeria. The review encompasses a comprehensive analysis of existing literature, focusing on studies conducted and diagnosis in Nigeria over the past decade. Various psychosocial support interventions, ranging from counselling and support groups to educational programs, will be examined for their impact on the psychological, emotional, and social well-being of cancer patients. The review also considers the influence of these interventions on treatment adherence, quality of life, and overall clinical outcomes. Preliminary findings indicate a diverse landscape of psychosocial support initiatives in Nigeria, including community-based efforts, healthcare provider interventions, and collaborative programs involving governmental and non-governmental organizations. The review assesses the methodologies employed in these studies, emphasizing the need for rigorous research designs to establish causal relationships between psychosocial support and improved cancer outcomes. This will inform healthcare professionals, policymakers, and researchers about the status of psychosocial support in cancer management in Nigeria. By identifying gaps in existing literature and highlighting successful interventions, this study contributes to the development of evidence-based guidelines for integrating psychosocial support into cancer care protocols in Nigeria and potentially other resource-limited settings. Ultimately, the findings from this review have the potential to enhance the holistic approach to cancer management, improving the overall well-being and resilience of individuals facing this challenging disease in Nigeria.

Keywords: Psychosocial support, Cancer management, Cancer care, Healthcare in Nigeria

POSITIVE EFFECT OF PSYCHOSOCIAL SUPPORT IN CANCER MANAGEMENT

The diagnosis of cancer is unexpected hence the patient and their significant others are not prepared for the long term impact the diagnosis will have on their spiritual, physical, financial, social and emotional wellbeing ⁽ⁱ⁾. In many low to middle economic countries, Nigeria inclusive the major source of psychological stress faced by patient diagnosed of cancer is fear of getting advanced treatment that will improve their prognosis ⁽ⁱⁱ⁾. Therefore, having structured psychosocial services to support patients and their family will go a long way to help in coping mechanism ⁽ⁱⁱⁱ⁾. In recent years, some oncology centre in Nigeria have incorporated psychosocial support in the management of patient diagnosed of cancer and this has been found effective in some establishment ^(iv). As per ⁽ⁱⁱⁱ⁾ cancer diagnosis comes to some patient as a death sentence, giving that the annual mortality rate is estimated to 72,000 and 102,000 newly diagnosed cases by the World Health Organisation ^(v, vi), hence the importance of psychosocial supports is essential, this will bring a ray of hope and improves their resilience to comply with treatment regime. Nigeria where the average minimum wage of an individual is not sufficient to meet their daily basic needs, paying for medical treatment especially advance cost of cancer treatment can be devastating ^(vii). It is therefore imperative for healthcare setting to find alternative means of supporting patients and their families in these circumstances. Psychosocial factor is the interrelation between social factors and individual mind and behaviour, thus psychosocial support is most of the time less costly in situations where there are volunteers and appropriate use of technology ^(xiv). Patient diagnosed of cancer benefits from supports that ranges from but not limited to counselling, education, support group, mindful exercises, job coaching, housing etc. ^(viii).

Despite increasing level of research in oncology and improving treatment modalities through evidence-based approach globally, understanding the efficacy of psychosocial care and incorporating it as part of the multidisciplinary approach to cancer management in Nigeria, there is still need to explore more psychosocial services, increase accessibility to patients and families. This study therefore aims to evaluate the efficacy of psychosocial support available to cancer patient.

Method

This overview of systematic reviews was consistent to the PRISMA guidelines ^(ix) Primary research papers were sources from PubMed and Goggle Scholar. Five published research articles between 2013 to 2023 met the inclusion criteria of qualitative studies, psychosocial support, improving the quality of life of people living with cancer in Nigeria.

Results

According to existing literatures, patient and their caregivers are not prepared for the numerous burden that comes with cancer diagnosis, hence they struggled with denial, and many are not motivated to seek medical help ^(x). Because Nigeria is a highly religious community; some patient would rather address medical diagnosis from a spiritual perspective by going to different prayer mountains for support and healing prayers, however the need for spiritual support cannot be override when considering the overall wellbeing of patient diagnosed with terminal illness.

Findings from the five included qualitative studies which involve 210 participant (people diagnosed of cancer) shows that most patient lack adequate knowledge of the diagnosis and

disease process, many are distressed with the financial burden of paying for their treatment ⁽ⁱⁱ⁾. Similarly, relatives and families who serve as caregivers are faced with the trauma of life after cancer treatment; the possible complication of infertility, dietary modification and lifestyle change are few of the concerns raised by patient and their significant others ^(xi). This is consistent with similar studies conducted in developed countries where cancer patients including cancer survivors are no longer excited in participating in activity of daily living, patients are overwhelmed with depression that are results of anger from dealing with the diagnosis of cancer and treatment modalities ^(xii).

The consistent findings in all the literatures highlights a lack of proper information which includes information on how to deal with fear of chemotherapy, locally available nutritious diet and exercises ^(xiii, iv, vii). However, psychosocial services are intended to help patients and their caregiver cope with the disease, and this involve organising group counselling sessions which may involve cancer survivors to share relating stories of their journey. Nevertheless, it has been reported that the efficiency of psychosocial services is limited due to lack of accessibility, lack of trained professionals such as physiotherapist and dieticians ^(xiv, vii).

Discussion

The diagnosis of cancer scared patient and families away from seeking appropriate help early, this is due to financial constraint especially in low-medium income countries like Nigeria where medical treatment is essentially out of pocket payments. Many people go from being rich to poverty level mainly by paying for the expensive cost of treatment. This devastating situation are part of the reasons why psychosocial support should be incorporated as part of the multidisciplinary approach to cancer care. Consistent studies generally shows that patients receive majority of financial, emotional and psychological support from relatives ; friends and families ^(xiii). Additionally, some are supported by spiritual leaders who continually encourage them to have faith in their treatment journey , other supports patients benefit from are assistance with completing task ^(xv, xvi).

The major reason why some patient may not fully benefit from psychosocial support is due to denial of accepting diagnosis thus many presented late to oncology units where psychosocial supports are been carried out ^(xvii). Therefore, it is essential for psychosocial support to be a part of the diagnosis process ranging from the time of carrying out laboratory investigations, patients and their families should be signposted to available psychosocial resources that will prepare them ahead of the diagnosis confirmation.

Group support and counselling is the commonest support available in various oncology departments within healthcare settings in Nigeria. A major activity carried out at the various session include psychoeducation on how to deal with different complications that come with chemotherapy, deep breathing exercise which is usually inform of engaging the mind; patients carried out the exercise with the thoughts of breathing in life , peace and breathing out fears, anxiety, pain ^(iv)

Health information literacy and awareness is another support that should be made available to patient and their families, this will reduce the anxiety and distress experienced from cancer. It further helps coping strategies as patient copes better when they are knowledgeable about the disease process and expected prognosis ^(xiii). Although, many of the patient preferred a one-to-one counselling and education session prior to commencement of treatments and post treatment ^(xiv).

Conclusion

This study has examined the efficacy of psychosocial support in cancer management in Nigeria. The suggested features including in cooperating psychosocial support in cancer management from the point of diagnosis, to be a part of the multidisciplinary care package. Similarly, continuous support post treatment and follow-up for patients and caregivers including families should be considered. Oncology centres should engage in training of medical staffs and other allied professional to provide psychosocial services. By identifying gaps in existing literature and highlighting successful interventions, this study contributes to the development of evidence-based guidelines for integrating psychosocial support into cancer care protocols in Nigeria and potentially other resource-limited settings. Ultimately, the findings from this review have the potential to enhance the holistic approach to cancer management, improving the overall well-being and resilience of individuals facing this challenging disease in Nigeria.

CAPCDR 7th CONFERENCE 2023

Endnotes

ⁱ Rahib, L., Smith, B. D., Aizenberg, R., Rosenzweig, A. B., Fleshman, J. M., & Matrisian, L. M. (2014). Projecting cancer incidence and deaths to 2030: the unexpected burden of thyroid, liver, and pancreas cancers in the United States. *Cancer research*, 74(11), 2913-2921.

ⁱⁱ Warner, E. L., Kirchhoff, A. C., Nam, G. E., & Fluchel, M. (2015). Financial burden of pediatric cancer for patients and their families. *Journal of oncology practice*, 11(1), 12-18.

ⁱⁱⁱ Agha, A. A., Onalu, C., & Chidebe, R. (2022). Bridging the gap: investigating the role of social workers in supporting metastatic breast cancer patients in Nigeria. *Social Work in Public Health*, 37(3), 244-257.

^{iv} Asuzu, C. C., & Akin-Odanye, E. O. (2015). The delivery of psychosocial services in an oncology setting: The Ibadan experience

^v World Health Organisation (2020). <https://www.who.int/countries/nga/en/>.

^{vi} Fatiregun, O. A., Bakare, O., Ayeni, S., Oyerinde, A., Sowunmi, A. C., Popoola, A., Salako, O., Alabi, A., & Joseph, A. (2020). 10-Year Mortality Pattern Among Cancer Patients in Lagos State University Teaching Hospital, Ikeja, Lagos. *Frontiers in oncology*, 10, 573036. <https://doi.org/10.3389/fonc.2020.573036>

^{vii} Holland, L. R., Walker, R., Henney, R., Cashion, C. E., & Bradford, N. K. (2021). Adolescents and young adults with cancer: barriers in access to psychosocial support. *Journal of adolescent and young adult oncology*, 10(1), 46-55.

^{viii} National Alliance on Mental Illness, (2023) Psychosocial treatment available online at <https://www.nami.org/About-Mental-Illness/Treatments/Psychosocial-Treatments#:~:text=Psychosocial%20Rehabilitation&text=Treatments%20and%20resources%20vary%20from,educational%20aide%20and%20social%20support.>

^{ix} Rethlefsen, M. L., Kirtley, S., Waffenschmidt, S., Ayala, A. P., Moher, D., Page, M. J., & Koffel, J. B. (2021). PRISMA-S: an extension to the PRISMA statement for reporting literature searches in systematic reviews. *Systematic reviews*, 10, 1-19.

^x Adedimeji, A. A., Lounsbury, D., Popoola, O., Asuzu, C., Lawal, A., Oladoyin, V., ... & Adebisi, A. (2017). Improving outcomes in cancer diagnosis, prevention and control: barriers, facilitators and the need for health literacy in Ibadan Nigeria. *Psycho-Oncology*, 26(10), 1455-1462.

^{xi} Eke, G. K. (2019). Psychosocial issues experienced by parents of children with cancer in Southern Nigeria. *International Research Journal of Oncology*, 2(1), 45-52.

^{xii} Aaronson, N. K., Mattioli, V., Minton, O., Weis, J., Johansen, C., Dalton, S. O., ... & van de Poll-Franse, L. V. (2014). Beyond treatment–psychosocial and behavioural issues in cancer survivorship research and practice. *European Journal of Cancer Supplements*, 12(1), 54-64.

^{xiii} Dairo, M. D., Oladoyinbo, O., & Onimode, Y. A. (2020). Perceived Social Support and Impact on Coping of People Living with Cancer Undergoing Care at A Tertiary Hospital Level in Ibadan, Nigeria. *Archives of Basic and Applied Medicine*, 8(2), 131-136.

^{xiv} Akingbade, O., Adediran, V., Somoye, I. E., Alade, A. S., & Chow, K. M. (2022). Perceived feasibility and usefulness of mHealth interventions for psychoeducational support among Nigerian women receiving chemotherapy for breast cancer: a focus group study. *Supportive Care in Cancer*, 30(12), 9723-9734.

^{xv} Bovero, A., Leombruni, P., Miniotti, M., Rocca, G., & Torta, R. (2016). Spirituality, quality of life, psychological adjustment in terminal cancer patients in hospice. *European Journal of Cancer Care*, 25(6), 961-969.

^{xvi} Thuné-Boyle, I. C., Stygall, J., Keshtgar, M. R., Davidson, T. I., & Newman, S. P. (2013). Religious/spiritual coping resources and their relationship with adjustment in patients newly diagnosed with breast cancer in the UK. *Psycho-Oncology*, 22(3), 646-658.

^{xvii} Tiruneh, Y. M., Beshah, D. T., & Wassie, M. (2022). Incidence of Mortality and Associated Factors Among Colorectal Cancer Patients at Oncology Units of Northwest Ethiopia: A Retrospective Cohort Study. *Cancer Management and Research*, 1445-1455.